

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/563409	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S2	2473	updat\$3 near10 memory near10 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S3	1279	updat\$3 near5 memory near5 position	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S4	3	updat\$3 near5 memory near5 position same updat \$3 near5 (division partial \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S5	24	updat\$3 near5 memory near5 position same (division partial\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S6	17	project\$3 near5 dimension \$3 same distance near5 record	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S7	1039	project\$3 near5 dimension \$3 near5 (smaller lesser)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12

S8	12	project\$3 near5 dimension \$3 near5 (smaller lesser) same coordinat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S9	8	semeion.asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S10	16	(BUSCEMA near paolo).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S11	2	S10 and project\$3 same dimension	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S12	1801	(convert\$3 conversion project\$3) same (3- dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) same coordinat\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S13	606	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3- d 3d) same (2-dimension \$3 2-d 2d) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S14	439	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3- d 3d) same (2-dimension \$3 2-d 2d) and distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12

S15	65	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3-d 3d) same (2-dimension \$3 2-d 2d) same distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S16	68	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3-d 3d) same (2-dimension \$3 2-d 2d) and (shortest minimal minimiz\$3) near10 distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S17	21	(convert\$3 conversion project\$3) near10 coordinat \$3 same (3-dimension\$3 3-d 3d) same (2-dimension \$3 2-d 2d) and (distance near5 matrix) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S18	2	(convert\$3 conversion project\$3) near10 (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) same (distance near5 matrix) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S19	9	(convert\$3 conversion project\$3) near10 (3-dimension\$3 3-d 3d) same (2-dimension\$3 2-d 2d) and (distance near5 matrix) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S20	9402	707/104.1.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12

S21	21	project\$3 near5 dimension and S20	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S22	48	(convert\$3 conversion project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S23	59	(map\$4 project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S24	51	(map\$4 project\$3) same (3-dimension\$3 3-d 3d) adj (2-dimension\$3 2-d 2d) same coordinat\$3 and distance and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S25	307	(self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc \$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S26	173	(self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc \$4) and coordinat\$3 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S27	38	(cube olap) and (self adj organiz\$5) and (distance matrix) and (dimension\$5 near5 reduc\$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12

S28	49	((data adj cube) olap) same ((three "3") near5 dimension\$5) same ((two "2") near5 dimension\$5) same (project\$3 map\$4 convert\$3 conversion reduc \$4) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S29	3	gend near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S30	5	genetic near5 doping near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S31	5	(dimension\$5 near5 reduc \$4) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S32	42	(project\$3 map\$4 convert \$3 conversion) same (three adj dimension\$5) same (two adj dimension \$5) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S33	10	(project\$3 convert\$3 conversion) same (three adj dimension\$5) same (two adj dimension\$5) same geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12

S34	96	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and geographic\$2 near5 (location site database (data adj base)) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S35	10	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and geographic\$2 near5 (location site database (data adj base)) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S36	118	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and (molecule atom particle) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S37	8	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S38	82	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) and (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12

S39	16	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same coordinate and (molecule atom) same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S40	66	S38 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S41	64	(project\$3 convert\$3 conversion translat\$3) with (three adj dimension\$5) with (two adj dimension\$5) same (molecule atom) and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S42	56	S41 not S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S43	5	(project\$3 convert\$3 conversion translat\$3) near5 molecule same (three adj dimension\$5) same (two adj dimension \$5) and distance same coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S44	8	(project\$3 convert\$3 conversion translat\$3) near5 molecule same dimension\$5 and neural near5 network and coordinate and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12

S45	18	alzheimer and pathological near5 status and probability near5 disease and (@ad<"20030701"@rlad<"20030701"@pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S46	18	dimension\$5 same (map\$4 project\$3 convert\$3 conversion) and alzheimer and pathological and probability near5 disease and (@ad<"20030701"@rlad<"20030701"@pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S47	10	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) and alzheimer and pathological and probability near5 disease and (@ad<"20030701"@rlad<"20030701"@pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S48	8	S46 not S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S49	10	dimension\$5 same (map\$4 project\$3 convert\$3 conversion) and probability same alzheimer and pathological and (@ad<"20030701"@rlad<"20030701"@pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S50	600	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) and alzheimer and (@ad<"20030701"@rlad<"20030701"@pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S51	281	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) and alzheimer and (@ad<"20030701"@rlad<"20030701"@pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12



S52	66	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S53	42	dimension\$5 with (map\$4 project\$3 convert\$3 conversion) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and pathological and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S54	5	dimension\$5 with (project \$3) same (three adj dimension\$5) same two adj dimension\$5 and alzheimer and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:12
S55	769	(project\$3 transform\$3 translat\$3) near5 less\$2 near5 dimension\$2 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:21
S56	1	(project\$3 transform\$3 translat\$3 reduc\$3) near5 less\$2 near5 dimension\$2 same "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:22
S57	224	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 same "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:22
S58	9	S57 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:22

S59	1	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 near5 "n-1" same (display\$3 output\$4) near5 "n-1" and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:30
S60	37	(display\$3 output\$4) near5 "n-1" near5 dimension\$4 and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:33
S62	215	S57 not S58	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:41
S64	47	(project\$3 transform\$3 translat\$3 reduc\$3) near5 dimension\$2 same "n-1" and (database (data adj base)) and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:41
S65	2	marriage same mutation same internal near5 variable	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:53
S66	5	genetic near5 doping near5 algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 13:55
S68	3	S57 and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 14:11

S69	119	(data record) near5 projection and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 14:18
S70	79	(data record) near5 projection and evolution\$3 same algorithm and (@ad<"20030701" @rlad<"20030701" @pd<"20030701")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 14:18
S73	12	S70 and "n-1"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 14:19
S74	19	(n-1) near5 dimension and evolution\$3 same algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/07/28 14:23

7/ 28/ 2009 3:24:29 PM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces  
\ son\_10\_563\_409\_case.wsp